



COMPETITOR RESOURCE

Haas Automation is a sponsor of the 2023 SkillsUSA CNC Machining Competitions. We are committed to providing materials for Regional and State competitions throughout the United States for the 2023 CNC Machining Competitions.

In addition, we are providing a list of resources to help prepare students to enter the CNC Machining competitions and the workforce of our industry, feeling well-equipped for success. Please see the following pages for resources or visit our website at haascnc.com.

For Regional and State level SkillsUSA testing materials, please contact the SkillsUSA State Director in your state.



Haas Automation, Inc. | 2800 Sturgis Rd. Oxnard, CA 93030

Sponsor of SkillsUSA CNC Competitions

CNC Programmer | CNC 2-Axis Turning | CNC 3-Axis Milling | CNC 5-Axis Milling Programmer

About the Competition:

Regional and State-level CNC Milling Programmer, CNC 2-Axis Turning, and CNN 3-Axis Milling competitions will test three major skills areas (1) a CNC theory test (2) CAM programming, and (3) Metrology measurements.

CNC Theory Test:

The CNC theory test is a set of multiple-choice questions closely related to the CNC subject area of focus for the competition, i.e., milling or turning. Competitors must select the best answer that applies, reading each question carefully before choosing an answer. Contestant numbers must be written on the test in the space provided on each page, or the competitor will receive 0 points.

Programming:

The programming portion of the competition will provide competitors with access to a part drawing, STEP model, and Process Plan. It is the competitor's job to use the provided documents to complete a CAM program. If run, the program would produce a machined part that is in accordance with the Process Plan, collision-free, and accurate to the part drawing provided. The drawing will be complete with multiple views making it easy for competitors to visualize the part and understand its geometry. The Process Plan will provide setup instructions, a sequence of operations, and tool data. Contestant numbers must be used as the name for the CAM file. If this step is missed, the competitor will receive 0 points. Remember, save early, save often.

Metrology:

The metrology portion of the competition will consist of individual measurement stations. The competitor must be able to utilize the instrument and write down the measurement on the answer sheet.

Competitors will be provided with all testing documents mentioned above, but **competitors must provide the following items to compete successfully.**

- (Required) Laptop or PC with access to CAM software (Mastercam or Fusion360)
- (Required) Pen or pencil for notes or written calculations
- (Optional) Basic calculator

NOTE: Judges have access to a Theory Test Key and Programming Score Card, which can be used to calculate the appropriate points for the SkillsUSA Regional/State Score Card.



Haas Automation, Inc. | 2800 Sturgis Rd. Oxnard, CA 93030

Sponsor of SkillsUSA CNC Competitions

CNC Programmer | CNC 2-Axis Turning | CNC 3-Axis Milling | CNC 5-Axis Milling Programmer

Recommended Competitor Preparation

Set yourself up for success by committing to continuous learning. Haas Automation, and other supporting partners, offer an array of opportunities for everyone to learn about the principles of CNC machining. Get ahead by preparing yourself as a competitor before and after competitions.

Haas Certification Program

These online courses are designed to provide the basic knowledge necessary to get started as a CNC machine operator or CNC machinist. They introduce basic CNC machine operation, proper machine safety, and fundamental machining processes. For more information and to sign-up for the free online courses, visit: <https://www.learn.haascnc.com>

Haas Programming Workbooks

These programming workbooks provide the basic principles to program Haas Mills and Haas Lathes. Numerous exercises throughout the workbook enable users to build their skills at their own pace. Answer Books are also available. To download, visit the Haas Learning Resources webpage: https://www.haascnc.com/myhaas/Haas_Learning_Resources.htm

Haas Video Library

The Haas Video Library gives you access to thousands of videos recorded specifically to help Haas CNC users everywhere to grow their skills and understanding of CNC machining to maximize their abilities. Access videos directly from the Haas Video Library via the Haas YouTube channel or using the Quick Picklist of the Haas Learning Resources page, which organizes a handful of entry- to advanced-level videos to help get you started. For the complete Video Library, visit: <https://www.haascnc.com/video.html> Or, for the shortened Quick Picklist, visit: https://www.haascnc.com/myhaas/Haas_Learning_Resources.html

CAM Programming Training and Software

Partners Mastercam and Autodesk Fusion360 provide access to software and video training programs. Please visit the links below for information on accessing software and training resources.

Mastercam Learning Content: <https://university.mastercam.com/>

Mastercam Software Access for SkillsUSA: <https://www.mastercam.com/skillsusa/>

Contact Email: education@mastercam.com

Autodesk Fusion360 Training Courses:

<https://help.autodesk.com/view/fusion360/ENU/courses/#manufacturing-milling-turning-and-inspection>



Haas Automation, Inc. | 2800 Sturgis Rd. Oxnard, CA 93030

Sponsor of SkillsUSA CNC Competitions

CNC Programmer | CNC 2-Axis Turning | CNC 3-Axis Milling | CNC 5-Axis Milling Programmer

Autodesk Fusion360 Software Access:

<https://damassets.autodesk.net/content/dam/autodesk/www/fusion-360/Fusion%20Single%20Install%20Instructions.pdf>

Autodesk Fusion360 Webinars:

One-Hour Webinar

Educators will get a high-level walkthrough of Autodesk, specifically focusing on our integrated, cloud-based Fusion 360 CAD/CAM software. Topics include: how to download Fusion 360 for free, how to assign students licenses, and how to build a class.

Two-Hour Hands-On Webinar

Educators will learn the basics of Fusion 360 by walking through an introductory, real-world, classroom-ready project. Topics include 2D sketching, 3D extrusions, creating assemblies, and exporting 3D models for manufacturing.

Visit <https://www.autodesk.com/campaigns/education/webinar-series> to register for one of our free Fusion 360 webinars.

Autodesk Fusion360 Contact Email: amy.shapiro@autodesk.com



Haas Automation, Inc. | 2800 Sturgis Rd. Oxnard, CA 93030

Sponsor of SkillsUSA CNC Competitions

CNC Programmer | CNC 2-Axis Turning | CNC 3-Axis Milling | CNC 5-Axis Milling Programmer

Competitor Instruction:

Theory Test:

Add your contestant number in the space provided. If printed, add the contestant number on each page. For each multiple-choice question, select the best answer that applies. Be sure to read each question carefully before choosing the answer. Write neatly. Make sure your contestant number is on the test before submitting. Questions without an answer receive zero points.

Programming:

Open the STEP model in your CAM software of choice. Save the file using your contestant number in the file name. Use the provided documents (Drawing and Process Plan) to program the model using the information provided (Ex. Stock Setup, Operation Sequence, Tool Data, Feed and Speeds, and WCS). **Save OFTEN.** When done, check the entire program from start to finish, and save. The judged file should resemble a perfect program, which, if run on a machine, would produce a machined part that is accurate to the print and collision-free. Submit your completed program via USB flash drive.

Metrology Test:

Add your contestant number in the space provided. If printed, add contestant number on each page. The location to measure will be clearly marked. Write your answer on the test sheet neatly. Make sure your contestant number is on the test before submitting. Questions without an answer receive zero points.



Haas Automation, Inc. | 2800 Sturgis Rd. Oxnard, CA 93030

Sponsor of SkillsUSA CNC Competitions

CNC Programmer | CNC 2-Axis Turning | CNC 3-Axis Milling | CNC 5-Axis Milling Programmer



DECIMAL EQUIVALENT CHART .0059 – .0980

Decimal Equiv.	Drill Size	mm	Tap Sizes	Decimal Equiv.	Drill Size	mm	Tap Sizes
.0059	.97	0.150		.0320	.67	0.813	
.0063	.96	0.160		.0330	.66	0.838	
.0067	.95	0.170		.0350	.65	0.889	
.0071	.94	0.180		.0360	.64	0.914	
.0075	.93	0.191		.0370	.63	0.940	
.0079	.92	0.201		.0380	.62	0.965	
.0083	.91	0.211		.0390	.61	0.991	
.0087	.90	0.221		.0400	.60	1.016	
.0091	.89	0.231		.0410	.59	1.041	
.0095	.88	0.241		.0420	.58	1.067	
.0100	.87	0.254		.0430	.57	1.092	
.0105	.86	0.267		.0465	.56	1.181	
.0110	.85	0.279		.0469	$\frac{3}{64}$	1.191	#0-80
.0115	.84	0.292		.0520	.55	1.321	
.0120	.83	0.305		.0550	.54	1.397	
.0125	.82	0.318		.0595	.53	1.511	#1-64, #1-72
.0130	.81	0.330		.0625	$\frac{1}{16}$	1.588	
.0135	.80	0.343		.0635	.52	1.613	
.0145	.79	0.368		.0670	.51	1.702	
.0156	$\frac{1}{64}$	0.397		.0700	.50	1.778	#2-56, #2-64
.0160	.78	0.406		.0730	.49	1.854	
.0180	.77	0.457		.0760	.48	1.930	
.0200	.76	0.508		.0781	$\frac{5}{64}$	1.984	
.0210	.75	0.533		.0785	.47	1.994	#3-48
.0225	.74	0.572		.0810	.46	2.057	
.0240	.73	0.610		.0820	.45	2.083	#3-56
.0250	.72	0.635		.0860	.44	2.184	
.0260	.71	0.660		.0890	.43	2.261	#4-40
.0280	.70	0.711		.0935	.42	2.375	#4-48
.0292	.69	0.742		.0938	$\frac{3}{32}$	2.381	
.0310	.68	0.787		.0960	.41	2.438	
.0313	$\frac{1}{32}$	0.794		.0980	.40	2.489	



Tap drill sizes above based on approximately 75% full thread
 Tap # Sizes #0 = .060 #1 = .073 #2 = .086 #3 = .099 #4 = .112
 Tap # x .013 + .060 = Thread # OD

DECIMAL EQUIVALENT CHART .0995 – .2969



Decimal Equiv.	Drill Size	mm	Tap Sizes	Decimal Equiv.	Drill Size	mm	Tap Sizes
.0995	.39	2.527		.1875	$\frac{3}{16}$	4.763	#12-32
.1015	.38	2.578	#5-40	.1890	.12	4.801	
.1040	.37	2.642	#5-44	.1910	.11	4.851	
.1065	.36	2.705	#6-32	.1935	.10	4.915	
.1094	$\frac{7}{64}$	2.778		.1960	.9	4.978	
.1100	.35	2.794		.1990	.8	5.055	
.1110	.34	2.819		.2010	.7	5.105	$\frac{1}{4}$ -20
.1130	.33	2.870	#6-40	.2031	$\frac{13}{64}$	5.159	
.1160	.32	2.946		.2040	.6	5.182	
.1200	.31	3.048		.2055	.5	5.220	
.1250	$\frac{1}{8}$	3.175		.2090	.4	5.309	
.1285	.30	3.264		.2130	.3	5.410	$\frac{1}{4}$ -28
.1360	.29	3.454	#8-32, #8-36	.2188	$\frac{7}{32}$	5.556	$\frac{1}{4}$ -32
.1405	.28	3.569		.2210	.2	5.613	
.1406	$\frac{9}{64}$	3.572		.2280	.1	5.791	
.1440	.27	3.658		.2340	.A	5.944	
.1470	.26	3.734		.2344	$\frac{15}{64}$	5.953	
.1495	.25	3.797	#10-24	.2380	B	6.045	
.1520	.24	3.861		.2420	C	6.147	
.1540	.23	3.912		.2460	D	6.248	
.1563	$\frac{5}{32}$	3.969		.2500	$\frac{1}{4}$ &E	6.350	
.1570	.22	3.988		.2570	F	6.528	$\frac{5}{16}$ -18
.1590	.21	4.039	#10-32	.2610	G	6.629	
.1610	.20	4.089		.2656	$\frac{17}{64}$	6.747	
.1660	.19	4.216		.2660	H	6.756	
.1695	.18	4.305		.2720	I	6.909	$\frac{5}{16}$ -24
.1719	$\frac{11}{64}$	4.366		.2770	J	7.036	
.1730	.17	4.394		.2810	K	7.137	
.1770	.16	4.496	#12-24	.2813	$\frac{9}{32}$	7.144	$\frac{5}{16}$ -32
.1800	.15	4.572		.2900	L	7.366	
.1820	.14	4.623	#12-28	.2950	M	7.493	
.1850	.13	4.699		.2969	$\frac{19}{64}$	7.541	



Tap drill sizes above based on approximately 75% full thread
 Tap # Sizes #5 = .125 #6 = .138 #8 = .164 #10 = .190 #12 = .216
 Tap # x .013 + .060 = Thread # OD



Haas Automation, Inc. | 2800 Sturgis Rd. Oxnard, CA 93030

Sponsor of SkillsUSA CNC Competitions

CNC Programmer | CNC 2-Axis Turning | CNC 3-Axis Milling | CNC 5-Axis Milling Programmer



DECIMAL EQUIVALENT CHART .3020 – 1.000

Decimal Equiv.	Drill Size	mm	Tap Sizes	Decimal Equiv.	Drill Size	mm	Tap Sizes
.3020	N	7.671		.5625	9/16	14.288	5/8-18
.3125	5/16	7.938	3/8-16	.5781	37/64	14.684	5/8-24
.3160	O	8.026		.5938	19/32	15.081	
.3230	P	8.204		.6094	39/64	15.478	11/16-12
.3281	21/64	8.334		.6250	5/8	15.875	
.3320	Q	8.433	3/8-24	.6406	41/64	16.272	11/16-20, 11/16-24
.3390	R	8.611		.6563	21/32	16.669	3/4-10
.3438	11/32	8.731	3/8-32	.6719	43/64	17.066	
.3480	S	8.839		.6875	11/16	17.462	3/4-16
.3580	T	9.093		.7031	45/64	17.859	3/4-20
.3594	23/64	9.128		.7188	23/32	18.256	
.3680	U	9.347	7/16-14	.7344	47/64	18.653	13/16-12
.3750	3/8	9.525		.7500	3/4	19.050	13/16-16
.3770	V	9.576		.7656	49/64	19.447	13/16-20, 7/8-9
.3860	W	9.804		.7813	25/32	19.844	
.3906	25/64	9.922	7/16-20	.7969	51/64	20.241	7/8-14
.3970	X	10.084		.8125	13/16	20.637	
.4040	Y	10.262	7/16-28	.8281	53/64	21.034	7/8-20
.4063	13/32	10.319		.8438	27/32	21.431	
.4130	Z	10.490		.8594	55/64	21.828	15/16-12
.4219	27/64	10.716	1/2-13	.8750	7/8	22.225	15/16-16, 10-8
.4375	7/16	11.113		.8906	57/64	22.622	15/16-20
.4531	29/64	11.509	1/2-20	.9063	29/32	23.019	
.4688	15/32	11.906	1/2-28	.9219	59/64	23.416	1.0-12
.4844	31/64	12.303	9/16-12	.9375	15/16	23.813	
.5000	1/2	12.700	9/16-18	.9531	61/64	24.209	1.0-20
.5156	33/64	13.097	9/16-24	.9688	31/32	24.606	
.5313	17/32	13.494	5/8-11	.9844	63/64	25.003	
.5469	35/64	13.891		1.000	1	25.400	



Tap drill sizes above based on approximately 75% full thread
 A decimal equivalent chart can be displayed on a Haas control by pressing the HELP/ CALC button, and then selecting the Drill Table tab. Use the jog handle or cursor keys to scroll through the chart.

MILL AND LATHE FORMULAS



Cutting Speed (surface feet/min.)
 $SFM = 0.262 \times DIA \times RPM$

Revolutions Per Minute
 $RPM = 3.82 \times SFM \div DIA$

Feed Rate (in/min.)
 $IPM = FPT \times T \times RPM$

Feed Per Revolution
 $FPR = IPM \div RPM$

Feed Per Tooth (in)
 $FPT = IPM \div (RPM \times T)$

Metal Removal Rate
 $MRR = W \times d \times F$

Converting IPR to IPM
 $IPM = IPR \times RPM$

Converting IPM to IPR
 $IPR = IPM \div RPM$

Converting SFM to SMPM
 $SMPM = SFM \times .3048$

Converting IPR to MMPR
 $MMPR = IPR \times 25.40$

Distance over Time (in minutes)
 $L = IPM \times TCm$

Time Cutting over Distance (Mill) (minutes)
 $TCm = L \div IPM$

Time Cutting over Distance (Mill) (seconds)
 $TCS = L \div IPM \times 60$

INCH METRIC CONVERSION

mm x 0.03937 = in. in. x 25.4 = mm

m x 39.37 = in. in. x 0.0254 = m

m x 3.2808 = ft ft x 0.3048 = m

m x 1.0936 = yd yd x 0.9144 = m

km x 0.621 = mi mi x 1.6093 = km

Celsius to Fahrenheit Fahrenheit to Celsius
 $(^{\circ}C \times 1.8) + 32 = ^{\circ}F$ $(^{\circ}F - 32) \div 1.8 = ^{\circ}C$



Haas Automation, Inc. | 2800 Sturgis Rd. Oxnard, CA 93030

Sponsor of SkillsUSA CNC Competitions

CNC Programmer | CNC 2-Axis Turning | CNC 3-Axis Milling | CNC 5-Axis Milling Programmer

DRILL POINT DEPTH & COUNTERSINK DIAMETER FORMULAS

To calculate drill tip depth for a chamfer diameter, or drill point depth for a required drilling depth:

Drill Point Angle (DPA)	Factor
60°	$0.866 \times \text{Dia.} = \text{Point Depth}$
82°	$0.575 \times \text{Dia.} = \text{Point Depth}$
90°	$0.500 \times \text{Dia.} = \text{Point Depth}$
118°	$0.300 \times \text{Dia.} = \text{Point Depth}$
120°	$0.288 \times \text{Dia.} = \text{Point Depth}$
135°	$0.207 \times \text{Dia.} = \text{Point Depth}$

Example: To calculate for a 118-degree drill tip depth, multiply the dia. by 0.3
 i.e., 0.250 drill diameter x .3 = 0.075 drill tip depth

